

Docket No.: M4065.0959/P959 (PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of: Dean A. Klein

Application No.: 10/796,111

Confirmation No.: 2460

Filed: March 10, 2004

Art Unit: 2818

For: POWER MANAGEMENT CONTROL
AND CONTROLLING MEMORY

REFRESH OPERATIONS

Examiner: Not Yet Assigned

INFORMATION DISCLOSURE STATEMENT (IDS)

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Pursuant to 37 CFR 1.56, 1.97 and 1.98, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached PTO/SB/08. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This Information Disclosure Statement is filed within three months of the U.S. filing date (37 CFR 1.97(b)(1)).

Pursuant to United States Patent and Trademark Office Official Gazette Notice: 05 August 2003 ("Information Disclosure Statements May Be Filed Without Copies of U.S. Patents and Published Applications in Patent Applications filed after June 30, 2003") copies of the U.S. Patent Document references (i.e., references AA-AU7) on the PTO/SB/08 are not provided. Copies of the Foreign Patent Document references (i.e.,

1780672 v1; 125Z401I.DOC

Application No.: 10/796,111 Docket No.: M4065.0959/P959

references BA, BB, and BC) and the Other Prior Art - Non Patent Literature Document References (i.e., references CA - CO6) on the PTO/SB/08 are provided.

In accordance with 37 CFR 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as defined in 37 CFR 1.56(a) exists. In accordance with 37 CFR 1.97(h), the filing of this Information Disclosure statement shall not be construed to be an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

It is submitted that the Information Disclosure Statement is in compliance with 37 CFR 1.98 and the Examiner is respectfully requested to consider the listed references.

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 04-1073, under Order No. M4065.0959/P959. A duplicate copy of this paper is enclosed.

Dated: June 10, 2004

Respectfully submitted

Thomas I. D'Amico

Registration No.: 28,371 Michael A. Weinstein

Registration No.: 53,754 DICKSTEIN SHAPIRO MORIN &

OSHINSKY LLP

2101 L Street NW

Washington, DC 20037-1526 (202) 785-9700

Attorneys for Applicant



PIO/SR08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE
no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/PTO Application Number 10/796.111 INFORMATION DISCLOSURE Filling Date March 10, 2004 STATEMENT BY APPLICANT First Named Inventor Dean A. Klein Art Unit 2616~ 2824 (use as many sheets as necessary) Examiner Name Not Yet Assigned Sheet 1 of 13 Attomey Docket Number M4065.0959/P0959

			U.S. PA	TENT DOCUMENTS	
Examiner Initials*	Cite No.	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant
/MI /	AA	2002/0000666	1/2002	Kozicki et al.	Figures Appear
/IVIL/	AB	2002/0072188	6/2002	Gilton	
-	AC	2002/0106849	08/2002	Moore	
+	AD	2002/0103043	09/2002	Moore et al.	
-	AE	2002/0123170	09/2002	Moore et al.	
_	AF	2002/0123248	09/2002	Moore et al.	
+	AG	2002/0127886	09/2002	Moore et al.	
+	AH	2002/0132417	09/2002	Li	
-	AI	2002/0160551	10/2002	Harshfield	
_	AJ	2002/0163828	11/2002	Krieger et al.	-
-	AK	2002/0168852	11/2002	Harshfield et al.	
-	AL	2002/0190289	12/2002	Harshfield et al.	
_	AM	2003/0001229	01/2003	Moore et al.	+
-	AN	2003/0027416	02/2003	Moore	
+	AO	2003/0032254	02/2003	Gilton	
_	AP	2003/0038301	02/2003	Moore	
-	AQ	2003/0043631	03/2003	Gilton et al.	
-	AR	2003/0045049	03/2003	Campbell et al.	
1-	AS	2003/0045054	03/2003	Campbell et al.	
_	AT	2003/0047765	03/2003	Campbell	_
-	ΑÜ	2003/0047772	03/2003	Li	
+	AV	2003/0047773	03/2003	Ü .	-
_	AW	2003/0049912	03/2003	Campbell et al.	
_	AX	2003/0068861	04/2003	Li	1
_	AY	2003/0068862	04/2003	īi -	+
┪	AZ	2003/0095426	05/2003	Hush et al.	
-	AA1	2003/0096497	05/2003	Moore et al.	
-	AB1	2003/0107105	06/2003	Kozicki	
	AC1	2003/0117831	06/2003	Hush	
1	AD1	2003/0128612	07/2003	Moore et al.	
_	AE1	2003/0127869	07/2003	Kozicki	
	AF1	2003/0143782	07/2003	Gilton et al.	
+	AG1	2003/0155589	08/2003	Campbell et al.	+
_	AH1	2003/0155606	08/2003	Campbell et al.	+
-1-	AI1	2003/0156447	08/2003	Kozicki	
_	AJ1	2003/0156463	08/2003	Casper et al.	
_	AK1	2003/0209728	11/2003	Kozicki et al	·
+	AL1	2003/0209971	11/2003	Kozicki et al	
+	AM1	2003/0210564	11/2003	Kozicki et al	
-	AN1	3,622,319	11/1971	Sharp	·
-		3,743,847	7/1973	Boland	
	AP1	4,269,935	5/1981	Masters et al.	 -
₩_		4,312,938	1/1982	Drexler, et al.	
/MI /		4,316,946	1/1982	Masters, et al.	

1780652 v1; 125YK01I.DOC

Approved for use through 1031/2002/058064 (10.4)]
Approved for use through 1031/2002/058064 (10.4))
U. S. Patent and Trademark Office: U. S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a coelection of information unless its contains a valid UMB control number.

	Substit	ute for	form 1449A/PT	0					Complete if I	Known
	INIE	-05	NAATIO	ND	ISC	LOSURE	_	Application Number	10/796,11	1
								Filling Date	March 10,	, 2004
l	ST	ATE	EMENT	BY	AP	PLICANT		First Named Inventor	Dean A. K	(lein
l								Art Unit	2010-	2824
l		(use as many s	neets a	s nece	essary)		Examiner Name	Not Yet A	esigned
<u> </u>				Τ.	T					
Shee	et		2	of	<u> </u>	13		Attorney Docket Number	M4065.09	159/P0959
7/M		AS1	4,320,191			3/1982	Yosh	ikawa et al.		[
		AT1	4,405,710			9/1983		subramanyam et al.		
			4,419,421			12/1983	Wich	elhaus, et al.		
			4,499,557			2/1985		berg et al.		
ш			4,671,618			06/1987	Wu e			
Н			4,795,657			1/1989		igoni et al.		
Н			4,800,526 4,847,674			01/1989 7/1989	Lewi	s ı et al.		
Н			5,177,567			1/1993		y et al.		
Н			5,219,788	-		6/1993		nathey et al.		-
Н			5,238,862	_		8/1993		ck et al.		
П			5,272,359			12/1993		subramanian et al.		<u> </u>
			5,314,772			5/1994	Kozio			
П			5,315,131			5/1994	Kishi	moto et al.		
	П	AG2	5,350,484			9/1994	Gard	ner et al.		
			5,360,981			11/1994		n et al.		
ш			5,500,532			3/1996		cki et al.	_	
ш			5,512,328			4/1996		imura et al.		
ш			5,512,773			4/1996	Wolf			
ш			5,726,083			3/1998	Taka			
Н			5,751,012			5/1998		tenholme et al.		
Н			5,789,277 5,814,527			9/1998		rik et al. tenholme et al		
Н			5,818,749			10/1998		tennoime et ai		
Н			5,841,150			11/1998		alez et al.		
Н			5,846,889		_	12/1998		ison et al.		
Н			5,851,882	_		12/1998	Hars			-
П			5,869,843			2/1999	Hars			
			5,920,788			7/1999	Rein			
		AV2	5,998,066			12/1999	Block	cet al.		
		AW2	6,031,287			2/2000	Hars	hfield		
			6,072,716			6/2000		bson et al.		
\Box			6,077,729			6/2000	Hars			
l-l			6,177,338			1/2001	Liaw			
			6,117,720	_		9/2000	Hars			
\vdash			6,143,604			11/2000		ng et al.		
\vdash			6,236,059 6,297,170			5/2001		teinholme et al.		
H			6,300,684		_	10/2001		iel et al. alez et al.		
Н			6,316,784			11/2001		rik et al.		
H			6,329,606			12/2001		nan et al.		
Н			6,350,679			2/2002		aniel et al.		
			6,376,284			4/2002		alez et al.		
			6,388,324			5/2002		ki et al.		
		AK3	6,391,688			5/2002	Gonz	alez et al.		
\Box			6,414,376			7/2002		ur et al.		
Ы			6,418,049			7/2002		ki et al.		
ا لال			6,420,725				Hars			
L/M∕	1/1	AO3	6,423,628			7/2002	Liet	al.		

1780652 v1: 125YK01! DOC

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Und	ier the	e Paperw	ork Reducti	on Act of 199	5, no persons are require	ed to res	U. S. Patent and Tradem pond to a collection of inform	ark Office: U.S ation unless it o	. DEPARTMENT OF COMMERCE ontains a valid OMB control number.
Γ,	Subst	titute for	form 1449A	/PTO				Complete if I	Known
						_	Application Number	10/796,11	1
					SCLOSUR		Filing Date	March 10,	2004
	S	IAII	=MEN	II BY	APPLICANT		First Named Inventor	Dean A. K	(lein
		(use as ma	ny sheets as	necessary)		Art Unit	2848	2824
_							Examiner Name	Not Yet A	ssigned
She	et		3	of	13		Attorney Docket Number	M4065.09	59/P0959
_7N	/IL/	AP3	6,440,8	37	8/2002	Hars	hfield		
	L		6,469,3		10/2002	Kozi			
L_	<u> </u>		6,473,3		10/2002		iev et al.		
_	┡			4/0035401	2/2004		achandran et al.		
⊢	! —			3/0212724			insky et al.		
<u> </u>	1			3/0048744 3/0212725			insky et al. insky et al.		
\vdash	┢		US RE :		7/2001		iirisky et al. iinsky		
\vdash	Н				9/1966		insky		
	AX3 US 3,271,591 AY3 US 3,961,314			6/1976		e et al.			
Г	t		US 3,96		6/1976		ks et al.		
	L	AA4	US 3,98	3,542	11/1976		insky		
			US 3,98		10/1976	Ovst	insky		
	_		US 4,17		12/1979		insky		
_	┖		US 4,26		5/1981		nan et al.		
⊢	⊢		US 4,59		7/1986		son et al.		
┝	⊢		US 4,60		8/1986		n et al.		
⊢	⊢	AH4	US 4,63		1/1987		insky et al.		
Н	₩	AH4	US 4,64 US 4,66		2/1987 5/1987		insky et al. insky		
\vdash	-		US 4,66		5/1987		insky et al.		
Н	_		US 4.67		6/1987		insky et al.		
	Н		US 4,67		6/1987		insky et al.		
			US 4,67		7/1987		insky		
		AN4	US 4,69	6,758	9/1987	Ovst	insky et al.		
			US 4,69		10/1987	Ovst	insky et al.		
			US 4,71		12/1987	Your	ig et al.		
			US 4,72		3/1988		rjee et al.		
ш	_		US 4,73		4/1988		jens et al.		
ш	_		US 4,76		8/1988		insky et al.		
⊢	-		US 4,76		9/1988		insky et al.		
Н	\vdash		US 4,77		10/1988		et al.		
\vdash	\vdash		US 4,78 US 4,80		11/1988		insky et al. r et al.		
Н	\vdash		US 4,81		4/1989		son et al.		
Н	\vdash		US 4,84		6/1989		insky et al.		
Н	-		US 4,84		7/1989		r et al.		
П	\vdash		US 4.85		8/1989		insky et al.		
			US 4,89		1/1990		et al.		
			US 5,12	8,099	7/1992		d et al.		
			US 5,15		10/1992		insky et al.		
\Box			US 5,16		11/1992		insky et al.		
\vdash	_	AF5	US 5,17		1/1993		y et al.		
H	_		US 5,29		3/1994		insky et al.		
Н	_		US 5,33		8/1994		insky et al.		
Н		AI5 AJ5	US 5,35 US 5,34		10/1994		insky		
$\vdash \forall$	1		US 5,34 US 5,40		8/1994 4/1995		insky et al.		
78.7	17		US 5,40		5/1995		insky et al. insky et al.		
L/IV	<u> </u>	IVEO	00 0,41	7,211	10/1990	Ovsi	miony et al.		

1780652 v1: 125YK01I.DOC

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under th	ne Paperwork Red	uction Act of 199	5, no persons are require	d to res	U, S. Patent and Tradem spond to a collection of inform	ark Office: U.S ation unless it c	ontains a valid OMB control number.
Sub	stitute for form 144	49A/PTO				Complete if i	Known
					Application Number	10/796,11	11
			ISCLOSURE		Filing Date	March 10	, 2004
S	TATEME	NT BY	APPLICANT	Г	First Named Inventor	Dean A. H	Klein
	(use as	many sheets a	s necessary)		Art Unit	2618	2824
		·			Examiner Name	Not Yet A	ssigned
Sheet	4	of	13		Attorney Docket Number	M4065.09	959/P0959
/ML/	AM5 US 5,	534,711	7/1996	Ovsl	ninsky et al.		
	AN5 US 5,		7/1996		ninsky et al.		
	AO5 US 5,		7/1996		sy et al.		
⊢⊢	AP5 US 5,		8/1996		ninsky		
 - -	AQ5 US 5		1/1997		ninsky et al.		
⊢-	AR5 US 5,		1/1997		ninsky et al.		ļ
⊢⊢	ASS US 5,		11/1997		ninsky		
⊢⊢	AT5 US 5,		12/1997		ninsky et al.		
$\vdash \vdash$	AU5 US 5		2/1998		ninsky et al.		
⊢-	AV5 US 5		10/1998		oatyj et al.		
⊢⊢	AW5 US 5,		6/1999		ninsky et al.		
⊢-	AX5 US 5,		8/1999 1/2000		sy et al.		
\vdash	AZ5 US 6,		7/2000		ninsky ninsky et al.		
\vdash	AA6 US 6,		10/2000		ninsky et al.		
Н-	AB6 US 6,		1/2002		ng et al.		
\vdash	AC6 US 6		6/2002		ery et al.		
\vdash	AD6 US 6		8/2002	Wick			
\vdash	AE6 US 6.		8/2002	Xu	.01		
\vdash	AF6 US 6		10/2002	Xu e	t al		
\vdash	AG6 US 6,		11/2002	Park			
\vdash	AH6 US 6.		11/2002	Park			
		501,111	12/2002	Lowe			
		507,061	1/2003		gens et al.		
	AK6 US 6.	511,862	1/2003		ens et al.		
	AL6 US 6,	511,867	1/2003	Lowe	ery et al.		
	AM6 US 6,		1/2003	Lai			
	AN6 US 6,	514,805	2/2003	Xu e	t al.		
	AO6 US 6,		3/2003	Gill e			
		534,781	3/2003	Denr	nison		
	AQ6 US 6,		4/2003	Chia			
	AR6 US 6,		4/2003		ery et al.		
\perp	AS6 US 6,		4/2003		ery et al.		
\vdash	AT6 US 6,		5/2003_		ery et al.		
Ы—	AU6 US 6,		5/2003	Xu			
⊢-		567,293	5/2003		ery et al.		
Н-	AW6 US 6,		5/2003		ng et al.		
I-I-	AX6 US 6,		5/2003	Lowe			
⊢-	AY6 US 6,		6/2003	Lowe			
\vdash	AZ6 US 6.		7/2003	Lowe			
⊢-		589,714	7/2003		non et al.		
\vdash		590,807	7/2003	Lowe			
\vdash	AC7 US 6,		7/2003 7/2003	Denr			-
\vdash	AD7 US 6, AE7 US 6,			Wick			
\vdash		613,604	8/2003 9/2003		nison et al		
	AG7 US 6,		9/2003		ng et al.		
⊢₩-		625,054	9/2003		ery et al.		
/8.43 /		642,102	11/2003	Xu	ory ct al.		
/1911 /	17.17 100 0,	UTZ, 10Z	11.72003				

1780652 v1; 125YK01LDOC

PTO/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0851-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information union a solution of the collection of information unions.

Under th	e Paperworl	k Reduction Ac	t of 199	5, no persons are require	d to res	spond to a collection of inform			OMB control number
Subs	titute for for	m 1449A/PTO					Complete if I	Known	
١.,.		44 7104		001 001 101	_	Application Number	10/796,11	1	
				SCLOSURE	_	Filing Date	March 10, 2004		
l s	IAIE	MENII	BY /	APPLICANT		First Named Inventor	Dean A. K		
l	(us	e as many sh	eets as	necessary)		Art Unit	2010-		2824
				• • • • • • • • • • • • • • • • • • • •		Examiner Name	Not Yet Assigned		
Sheet		5	of	13		Attomey Docket Number	M4065.09	59/P0959	
/ML/	AJ7 L	JS 6,646,29	11/2003	Deni	nison				
	AK7 US 6,649,928 11/2003					nison			
	AJ7 L	JS 6,667,90	00	12/2003	Lowe	ery et al.			
		JS 6,671,71		12/2003		ninsky et al.			
	AN7 L	JS 6,673,70	00	1/2004	Deni	nison et al.			
		JS 6,674,11		1/2004	Hudg	gens et al.			
		JS 6,687,42		2/2004		alingam et al.			
		JS 6,690,02		2/2004	Pete	rson			
	AR7 L	JS 6,696,35	55	2/2004	Deni	nison			
ΔL		JS 6,687,15		2/2004	Lowe	ery			
. y .	AT7 L	JS 6,707,71	2	3/2004	Lowe	ery			
/ML/	AU7 L	JS 6,714,95	54	3/2004	Ovsl	ninsky et al.			
					_				
	-				_				
┖									

		FORE	GN PATENT	DOCUMENTS		
Examiner Cite No.1		Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁶ (If known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T°
/ML/	BA	JP-56126916	10/1981	Akira et al.		
/ML/	BB	WO 97/48032	12/18/1997	Kozickl et al.		
/ML/	вс	WO 99/28914	06/10/1999	Kozicki et al.		
Examine Signature		/Pho Luu/		Date Considered	05/04/2009	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

*Applicants unique clusters designation number (policient). *Tope state-not fixed Codes of USPTO Patent Documents at procusagio agree of MPEP 50; 104. **
Their Office has been ded the occurrent by the here helder code WPCD Statebules 273. ** For Applicance and end occurrents, the discident of the year of the religion of the Emperor must precede the application number of the patent document. Market of document by the appropriate symbols as indicated on the document under WPCD Standard ST. 16f possible. **Applicants is to place a check mark here if Emplish integrage Translation is attached.

PTO/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under	the Paperwork Reduction Act	of 1995	, no persons are required to re	spond to a collection of inform	nation unless it contains	a valid OMB control number	
Su	hstitute for form 1449B/PTC)			Complete if Know		
				Application Number	10/018,824	10/796-111	
11	NFORMATION	I DI	SCLOSURE	Filing Date	July 14, 2003		
8	STATEMENT I	BY A	APPLICANT	First Named Inventor	Terry L. Gilton		
				Group Art Unit	1977	2824	
	(use as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned		
Sheet	6	of	13	Attorney Docket Number	M4065.1006/P1006-A		

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catlado, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
/ML/	CA	Abdel-All, A.; Elshafie, A.; Elhawary, M.M., DC electric-field effect in bulk and thin-film Ge5As38Te57 chalcogenide glass, Vacuum 59 (2000) 845-853.	
/ML/	СВ	Adler, D.; Moss, S.C., Amorphous memories and bistable switches, J. Vac. Sci. Technol. 9 (1972) 1182-1189.	
/ML/	СС	Adler, D.; Henisch, H.K.; Mott, S.N., The mechanism of threshold switching in amorphous alloys, Rev. Mod. Phys. 50 (1978) 209-220.	
/ML/	CD	Afiff, M.A.; Labib, H.H.; El-Fazary, M.H.; Fadel, M., Electrical and thermal properties of chalcogenide glass system Se75Ge25-xSbx, Appl. Phys. A 55 (1992) 167-169.	
/ML/	CE	Afff,M.A.; Labib, H.H.; Fouad, S.S.; El-Shazly, A.A., Electrical & thermal conductivity of the amorphous semiconductor GexSe1-x, Egypt, J. Phys. 17 (1986) 335-342.	
/ML/	CF	Alekperova, Sh.M.; Gadzhieva, G.S., Current-Voltage characteristics of Ag2Se single crystal near the phase transition, Inorganic Materials 23 (1987) 137-139.	
/ML/	CG	Aleksiejunas, A.; Cesnys, A., Switching phenomenon and memory effect in thin-film heterojunction of polycrystalline selenium-silver selenide, Phys. Stat. Sol. (a) 19 (1973) K169- K171.	
/ML/	СН	Angell, C.A., Mobile lons In amorphous solids, Annu. Rev. Phys. Chem. 43 (1992) 693-717.	
/ML/	CI	Aniya, M., Average electronegativity, medium-range-order, and ionic conductivity in superionic glasses, Solid state Ionics 136-137 (2000) 1085-1089.	
/ML/	CJ	Asahara, Y.; Izumitani, T., Voltage controlled switching in Cu-As-Se compositions, J. Non-Cryst. Solids 11 (1972) 97-104.	
/ML/	СК	Asokan, S.; Prasad, M.V.N.; Parthasarathy, G.; Gopal, E.S.R., Mechanical and chemical thresholds in IV-VI chalcogenide glasses, Phys. Rev. Lett. 62 (1989) 808-810	
/ML/	CL	Axon Technologies Corporation, Technology Description: Programmable Metalization Cell(PMC), pp. 1-6 (Pre-May 2000).	
/ML/	СМ	Baranovskii, S.D.; Cordes, H., On the conduction mechanism in ionic glasses, J. Chem. Phys. 111 (1999) 7546-7557.	
/ML/	CN	Belin, R.; Taillades, G.; Pradel, A.; Ribes, M., Ion dynamics in superionic chalcogenide glasses: complete conductivity spectra, Solid state Ionics 136-137 (2000) 1025-1029,	
/ML/	со	Belin, R.; Zerouale, A.; Pradel, A.; Ribes, M., Ion dynamics in the argyrodite compound Ag7GeSe5I: non-Arrhenius behavior and complete conductivity spectra, Solid State Ionics 143 (2001) 445-455.	
/ML/	CP	Benmore, C.J.; Salmon, P.S., Structure of fast ion conducting and semiconducting glassy chalcogenide alloys, Phys. Rev. Lett. 73 (1994) 264-267.	
/ML/	cQ	Bemede, J.C., Influence du metal des electrodes sur les caracteristiques courant-tension des structures M-Ag2Se-M, Thin solid films 70 (1980) L1-L4.	Г
/ML/	CR	Bernede, J.C., Polarized memory switching in MIS thin films, Thin Solid Films 81 (1981) 155-160.	
/ML/	cs	Bernede, J.C., Switching and silver movements in Ag2Se thin films, Phys. Stat. Sol. (a) 57 (1980) K101-K104.	Т
/ML/	СТ	Bemede, J.C.; Abachi, T., Differential negative resistance in metal/insulator/metal structures with an upper bilayer electrode. Thin solid films 131 (1985) L61-L64.	1
/ML/	CU	Bernede, J.C.; Conan, A.; Fousenan't, E.; El Bouchairi, B.; Goureaux, G., Polarized memory switching effects in Ag2Se/Se/M thin film sandwiches, Thin solid films 97 (1982) 165-171.	
/ML/	CV	Bemede, J.C. et al., Transition from S- to N-type differential negative resistance in Al-Al2O3- Ag2-xSe1+x thin film structures, Phys.Stat. Sol. (a) 74 (1982) 217-224.	

1780652 v1: 125YK01LDOC

PTC/SB/08B (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Sub	stitute for form 1449B/P	то			Complete if Know	wn	
				Application Number	10/010,824	10/796-111	
- IN	IFORMATIC	N DI	SCLOSURE	Filing Date	July 14, 2003		
s	TATEMENT	BY	APPLICANT	First Named Inventor	Terry L. Gilton		
				Group Art Unit	N/A	2824	
	(use as many	sheets as	necessary)	Examiner Name	Not Yet Assigned		
Sheet	7	of	13	Attorney Docket Number	M4065.1006/	P1006-A	

$\overline{}$			_
/ML/	CW	Bondarev, V.N.; Pikhitsa, P.V., A dendrite model of current instability in RbAg415, Solid State lonics 70/71 (1994) 72-76.	_
/ML/	сх	Boolchand, P., The maximum in glass transition temperature (Tg) near x=1/3 in GexSe1-x Glasses, Asian Journal of Physics (2000) 9, 709-72.	
/ML/	CŸ	Boolchand, P.; Georgiev, D.G.; Goodman, B., Discovery of the Intermediate Phase in Chalcogenide Glasses, J. Optoelectronics and Advanced Materials, 3 (2001), 703	
/ML/	cz	Boolchand, P.; Selvanathan, D.; Wang, Y.; Georgiev, D.G.; Bresser, W.J., Onset of rigidity in steps in chalcogenide glasses, Properties and Applications of Amorphous Materials, M.F. Thorpe and Tichy, L. (eds.) Kluwer Academic Publishers, the Netherlands, 2001, pp. 97-132.	
/ML/	CA1	Boolchand, P.; Enzweiter, R.N.; Tenhover, M., Structural ordering of evaporated amorphous chalcogenide alloy films: role of thermal annealing, Diffusion and Defect Data Vol. 53-54 (1987) 415-420.	
/ML/	CB1	Boolchand, P.; Grothaus, J.; Bresser, W.J.; Suranyi, P., Structural origin of broken chemical order in a GeSe2 glass, Phys. Rev. B 25 (1982) 2975-2978.	
/ML/	CC1	Boolchand, P.; Grothaus, J.; Phillips, J.C., Broken chemical order and phase separation in GexSe1-x glasses, Solid state comm. 45 (1983) 183-185.	
/ML/	CD1	Boolchand, P., Bresser, W.J., Compositional trends in glass transition temperature (Tg), network connectivity and nanoscale chemical phase separation in chalcogenides, Dept. of ECECS, Univ. Cincinnati (October 28, 1999) 45221-0030.	
/ML/	CE1	Boolchand, P., Grothaus, J, Molecular Structure of Melt-Quenched GeSe2 and GeS2 glasses compared, Proc. Int. Conf. Phys. Semicond. (Eds. Chadi and Harrison) 17 th (1985) 833-36.	
/ML/	CF1	Bresser, W.; Boolchand, P.; Suranyi, P., Rigidity percolation and molecular clustering in network glasses, Phys. Rev. Lett. 56 (1986) 2493-2496.	
/ML/	CG1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; de Neufville, J.P, Intrinsically broken chalcogen chemical order in stoichiometric glasses, Journal de Physique 42 (1981) C4-193-C4-196.	_
/ML/	CH1	Bresser, W.J.; Boolchand, P.; Suranyi, P.; Hernandez, J.G., Molecular phase separation and cluster size in GeSe2 glass, Hyperfine Interactions 27 (1986) 389-392.	
/ML/	CI1	Cahen, D.; Gilet, JM.; Schmitz, C.; Chernyak, L.; Gartsman, K.; Jakubowicz, A., Room- Temperature, electric field induced creation of stable devices in CulnSe2 Crystals, Science 258 (1992) 271-274.	
/ML/	CJ1	Chatterjee, R.; Asokan, S.; Titus, S.S.K., Current-controlled negative-resistance behavior and memory switching in bulk As-Te-Se glasses, J. Phys. D: Appl. Phys. 27 (1994) 2624-2627.	_
/ML/	CK1	Chen, C.H.; Tai, K.L., Whisker growth induced by Ag photodoping in glassy GexSe1-x films, Appl. Phys. Lett. 37 (1980) 1075-1077.	_
/ML/	CL1	Chen, G.; Cheng, J., Role of nitrogen in the crystallization of silicon nitride-doped chalcogenide glasses, J. Am. Ceram. Soc. 82 (1999) 2934-2936.	
/ML/	CM1	Chen, G.; Cheng, J.; Chen, W., Effect of Si3N4 on chemical durability of chalcogenide glass, J. Non-Cryst. Solids 220 (1997) 249-253.	
/ML/	CN1	Cohen, M.H.; Neale, R.G.; Paskin, A., A model for an amorphous semiconductor memory device, J. Non-Cryst. Solids 8-10 (1972) 885-891.	
/ML/	CO1	Croitoru, N.; Lazarescu, M.; Popescu, C.; Telnic, M.; and Vescan, L., Ohmic and non-ohmic conduction in some amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 781-786.	
/ML/	CP1	Dalven, R.; Gill, R., Electrical properties of beta-Ag2Te and beta-Ag2Se from 4.2 to 300K, J. Appl. Phys. 38 (1967) 753-756.	
/ML/	CQ1	Davis, E.A., Semiconductors without form, Search 1 (1970) 152-155.	_
/ML/	CR1	Dearnaley, G.; Stoneham, A.M.; Morgan, D.V., Electrical phenomena in amorphous oxide films, Rep. Prog. Phys. 33 (1970) 1129-1191.	_
/ML/	CS1	Dejus, R.J.; Susman, S.; Volin, K.J.; Montague, D.G.; Price, D.L., Structure of Vitreous Ag-Ge-Se, J. Non-Cryst. Solids 143 (1992) 162-180.	_
/ML/	CT1	den Boer, W., Threshold switching in hydrogenated amorphous silicon, Appl. Phys. Lett. 40 (1982) 812-813.	_

1780652 v1: 125YK01LDOC

Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number Complete if Known

Subs	Substitute for form 1449B/PTO				Complete II Known					
					Application Number	10/018,824	10/796-11	11		
l in	FOR	OITAM	N DI	SCLOSURE	Filing Date	July 14, 2003				
l s⁻	TATE	MENT	BY A	APPLICANT	First Named Inventor	Terry L. Gilton				
-					Group Art Unit	NA	2824			
	(u	se as many sh	eets as	necessary)	Examiner Name	Not Yet Assign	ned			
Sheet		8	of	13	Attorney Docket Number	t Number M4065.1006/P1006-A				
=	CU1	Drusedau	T P ·	Panckow, A.N.; Klabuno	te F The hydrogens	ted amorphous		_		
/ML/		silicon/nan Cryst. Soli	odispe ds 198	erse metal (SIMAL) syst 3-200 (1996) 829-832.	em-Films of unique e	lectronic propertie				
/ML/	CV1	Films 110	Bouchairi, B.; Bernede, J.C.; Burgaud, P., Properties of Ag2-xSe1+x/n-Si diodes, Thin Solid Ims 110 (1983) 107-113. Charas Z. Fourshla. A : Vautier C. Role of photography defects in amorphous GaySe1.							
/ML/	CW1	x photocor	Gharras, Z.; Bourahla, A.; Vautier, C., Role of photoinduced defects in amorphous GexSe1- ohotoconductivity, J. Non-Cryst. Solids 155 (1993) 171-179. Ghrandi, R.; Calas, J.; Galibert, G.; Averous, M., Silver photodissolution in amorphous							
/ML	1			alas, J.; Galibert, G.; A n films, Thin Solid Films		todissolution in a	morphous			
/ML/	CY1			alas, J.; Galibert, G., A						
/ML/	CZ1		.L., Th	e threshold switching in						
/ML/	CA2	Elliott, S.R	., A un	ified mechanism for me -Cryst, Solids 130 (199		amorphous cha	Icogenide			
/ML/	CB2	Elliott, S.R	., Pho	todissolution of metals is s 137-138 (1991) 1031-	n chalcogenide glasse	es: A unified med	chanism, J.			
/ML	CC2	Elsamanou	udy, M	i.M.; Hegab, N.A.; Fade containing Te As Ge S	I, M., Conduction med		e-switching			
/ML/	CD2	El-Zahed,	H.; El-	Korashy, A., Influence of	of composition on the	electrical and opt	ical properties			
/ML/	CE2	Fadel, M.,	Switch	ning phenomenon in evalus, Vacuum 44 (1993)	aporated Se-Ge-As th		nous			
/ML/	CF2		El-Sha	air, H.T., Electrical, then		rties of Se75Ge7	Sb18, Vacuum			
/ML/	CG2	Feng, X. ;E	Bresse	r, W.J.; Boolchand, P., ev. Lett. 78 (1997) 4422		ffness threshold	n Chalcogenide			
/ML/	CH2	Feng, X.; E	Bresse stic, pla	r, W.J.; Zhang, M.; Goo astic and thermal behav	dman, B.; Boolchand					
/ML/	CI2			A.; Bienenstock, A.; Fuc torphous Ag-GeSe2 thir						
/ML/	CJ2	Fleury, G.;	Hamo	ou, A.; Viger, C.; Vautier Stat. Sol. (a) 64 (1981)	, C., Conductivity and	crystallization of	amorphous			
/ML/	CK2		H, Opt	ical and electrical energ		semiconductors,	J. Non-Cryst.			
/ML/	CL2	Fritzsche,	H., Éle	ectronic phenomena in a e 2 (1972) 697-744.	amorphous semicondu	uctors, Annual Re	view of			
/B.41 /	CM2	Gates, B.;	Wu, Y	; Yin, Y.; Yang, P.; Xia,						

synthesized by templating against nanowires of trigonal Se, J. Am. Chem. Soc. (2001)

Gosain, D.P.; Nakamura, M.; Shimizu, T.; Suzuki, M.; Okano, S., Nonvolatile memory based

on reversible phase transition phenomena in tellunde glasses, Jap. J. Appl. Phys. 28 (1989)

Guin, J.-P.; Rouxel, T.; Keryvin, V.; Sangleboeuf, J.-C.; Serre, I.; Lucas, J., Indentation creep

of Ge-Se chalcogenide glasses below Tg: elastic recovery and non-Newtonian flow, J. Non-

Guin, J.-P.; Rouxel, T.; Sangleboeuf, J.-C; Melscoet, I.; Lucas, J., Hardness, toughness, and scratchability of germanium-selenium chalcogenide glasses, J. Am. Ceram. Soc. 85 (2002)

Gupta, Y.P., On electrical switching and memory effects in amorphous chalcogenides, J. Non-

CQ2 1780652 v1; 125YK01I.DOC

/ML/

/ML

/ML/

/ML

/MI /

CN₂

CO2

CP2

currently ASAP

Cryst. Solids 298 (2002) 260-269.

1013-1018.

1545-52.

Approved for use through 10/31/2002.0MB 0681-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless I contains and DMB Control number.

Complete if Known

Sub	stitute for f	orm 1449R/PTO		Complete II Known						
000	Suluto IOI I	O 1443231 1 0		Application Number	10/010,024	10/796-1	11			
IN	IFOR	MATION D	SCLOSURE	Filing Date	July 14, 2003					
s	TATE	MENT BY	APPLICANT	First Named Inventor	Terry L. Gilton					
_				Group Art Unit	NY	2824				
	(u	se as many sheets a	s necessary)	Examiner Name	Not Yet Assign	ned				
Sheet		9 of	13	Attorney Docket Number	M4065.1006/P	1006-A				
/ML	/ [Cryst. Sol. 3 (19	70) 148-154.							
/ML	CR2		Haberland, D.R.; Stiegler, H., New experiments on the charge-controlled switching effect in amorphous semiconductors, J. Non-Cryst. Solids 8-10 (1972) 408-414.							
/ML/	CS2		him, M.M.; Dongol, M.; operties of As-Se-Cu gla							
/ML		effects in metal/	ajto, J.; Rose, M.J.; Osborne, I.S.; Snell, A.J.; Le Comber, P.G.; Owen, A.E., Quantization fects in metal/a-Si:H/metal devices, Int. J. Electronics 73 (1992) 911-913.							
/ML/	CU2		Hajto, J.; Hu, J.; Snell, A.J.; Turvey, K.; Rose, M., DC and AC measurements on metal/a- Si:H/metal room temperature quantised resistance devices, J. Non-Cryst. Solids 266-269							
/ML	CV2	resistance effec (1996) 825-828.	ey, B.; Snell, A.J.; Owen ts in metal-a-Si:H-metal	thin film structures, J.	Non-Cryst. Solid	s 198-200				
/ML/	CW2		A.E.; Snell, A.J.; Le Cor effects in metal-amorph							
/ML/	CX2		o, Y.; Fukaya, M.; Kan, F Phys. 13 (1974) 1163-11		switching in amo	rphous Se film,				
/ML/		chalcogenide se	del, M.; Sedeek, K., Mer miconductors, Vacuum	45 (1994) 459-462.						
/ML/	CZ2		tralevel hybrid resist pro- DGRAPHY, pp. 24-29 (198		capability, SPIE V	/ol. 333				
/ML/	CA3	Metalization	N: Materials characterizate University, pp. Title							
/ML/	СВЗ	Holmquist et al., F	leaction and Diffusion in Sil 3-4, pp. 183-188 (March-A	ver-Arsenic Chalcogenic	de Glass Systems,	62 J. AMER.	H			

CERAM. Soc., No. 3-4, pp. 183-188 (March-April 1979).

Hong, K.S.; Speyer, R.F., Switching behavior in II-IV-V2 amorphous semiconductor systems.

Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Constant current forming in Cr/p+a-/Si:H/V thin film

Hu, J.; Hajto, J.; Snell, A.J.; Owen, A.E.; Rose, M.J., Capacitance anomaly near the metalnon-metal transition in Cr-hydrogenated amorphous Si-V thin-film devices, Phil. Mag. B. 74

Hu, J.; Snell, A.J.; Hajto, J.; Owen, A.E., Current-induced instability in Cr-p+a-Si:H-V thin film

Huggett et al., Development of silver sensitized germanium selenide photoresist by reactive

sputter etching in SF6, 42 Appl. Phys. Lett., No. 7, pp. 592-594 (April 1983).

amorphous films of Ge2S3, J. Non-Cryst. Solids 35 & 36 (1980) 1061-1066.

semiconducting glasses As-Te-Ge, Solid State Comm. 8 (1970) 153-155.

lizima, S.; Sugi, M.; Kikuchi, M.; Tanaka, K., Electrical and thermal properties of

Ishikawa, R., Kikuchi, M., Photovoltaic study on the photo-enhanced diffusion of Ag in

lyetomi, H.; Vashishta, P.; Kalia, R.K., Incipient phase separation in Ag/Ge/Se glasses: clustering of Ag atoms, J. Non-Cryst. Solids 262 (2000) 135-142.

Jones, G.; Collins, R.A., Switching properties of thin selenium films under pulsed bias, Thin

Joullie, A.M.; Marucchi, J., On the DC electrical conduction of amorphous As2Se7 before

Joullie, A.M.; Marucchi, J., Electrical properties of the amorphous alloy As2Se5, Mat. Res.

Hosokawa, S., Atomic and electronic structures of glassy GexSe1-x around the stiffness

threshold composition, J. Optoelectronics and Advanced Materials 3 (2001) 199-214.

J. Non-Cryst. Solids 116 (1990) 191-200.

devices, Phil. Mag. B 80 (2000) 29-43.

Solid Films 40 (1977) L15-L18.

devices, J. Non-Cryst. Solids 227-230 (1998) 1187-1191.

switching, Phys. Stat. Sol. (a) 13 (1972) K105-K109

CN3 1780652 v1; 125YK011,DOC

/ML/

/ML/

/M1 /

/ML/

/ML/ CG3

/ML/

/ML/

/ML/

/ML

/ML/

/MI /

CE3

CF3

СНЗ

CI3

CJ3

СКЗ

СМЗ

(1996) 37-50.

Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Complete if Known

Substitute for form 1449B/PTO					Complete if Known			
					Application Number	10/610,024	10/796-1	11
l IN	IFORI	MATION	I DI	SCLOSURE	Filing Date	July 14, 2003		
l s	TATE	MENT E	BY A	APPLICANT	First Named Inventor	Terry L. Gilton		
					Group Art Unit	N/A 2824		
	(us	se as many sh	eets as	necessary)	Examiner Name	Not Yet Assigned		
Sheet 10			of	13	Attorney Docket Number	M4065.1006/P1006-A		
/MI	/1	Bull. 8 (197	3) 43	3-442.	1			\equiv
/ML	CO3 Kaplan T.: Adler, D. Electrothermal switching in amorphous semiconductors, J. Non-Cryst							
/ML	CP3	Kawaguchi et al., Mechanism of photosurface deposition, 164-166 J. Non-Cryst. Solids, pp. 1231-1234 (1993).						
/ML	CQ3	Kawaguchi, T.; Maruno, S.; Elliott, S.R., Optical, electrical, and structural properties of amorphous Ag-Ge-S and Ag-Ge-Se films and comparison of photoinduced and thermally induced phenomena of both systems, J. Appl. Phys. 79 (1996) 9096-9104.						
/ML		Kawaguchi, T.; Masui, K., Analysis of change in optical transmission spectra resulting from Ag photodoping in chalcogenide film, Japn. J. Appl. Phys. 26 (1987) 15-21.						
/ML	CS3	Kawasaki, M.; Kawamura, J.; Nakamura, Y.; Aniya, M., Ionic conductivity of Agx(GeSe3)1-x (0<=x<=0.571) glasses, Solid state Ionics 123 (1999) 259-269.						
/ML		Kluge, G.; Thomas, A.; Klabes, R.; Grotzschel, R., Silver photodiffusion in amorphous GexSe100-x, J. Non-Cryst. Solids 124 (1990) 186-193.						
/ML	CU3	Kolobov, A.V., On the origin of p-type conductivity in amorphous chalcogenides, J. Non-Cryst. Solids 198-200 (1996) 728-731.						
/ML	CV3	Kolobov, A.V., Lateral diffusion of silver in vitreous chalcogenide films, J. Non-Cryst. Solids 137-138 (1991) 1027-1030.						
/ML	CW3	Korkinova, Ts.N.; Andreichin,R.E., Chalcogenide glass polarization and the type of contacts, J. Non-Cryst. Solids 194 (1996) 256-259.						
/ML/	СХЗ	Kotkata, M.F.; Afif, M.A.; Labib, H.H.; Hegab, N.A.; Abdel-Aziz, M.M., Memory switching in amorphous GeSeTl chalcogenide semiconductor films, Thin Solid Films 240 (1994) 143-146.						
/ML	CY3	Kozicki et al., Silver incorporation in thin films of selenium rich Ge-Se glasses, International Congress on Glass, Volume 2, Extended Abstracts, July 2001, pgs. 8-9.						
/ML/	CZ3	Michael N. Kozicki, 1. Programmable Metallization Cell Technology Description, February 18, 2000						
/ML/	CA4	Michael N. Kozicki, Axon Technologies Corp. and Arizona State University, Presentation to Micron Technology, Inc., April 6, 2000						
/ML/	CB4	Kozicki et al., Applications of Programmable Resistance Changes In Metal-Doped Chalcogenides, Electrochemical Society Proceedings, Volume 99-13, 1999, pgs. 298-309.						
/ML/	CC4	Kozicki et al., Nanoscale effects in devices based on chalcogenide solid solutions,						
/ML/	CD4	Superlattices and Microstructures, Vol. 27, No. 516, 2000, pgs. 485-488. Kozicki et al., Nanoscale phase separation in Ag-Ge-Se glasses, Microelectronic Engineering [63 (2002) pgs 155-159.						
/ML/	CE4	Lakshminarayan, K.N.; Srivastava, K.K.; Panwar, O.S.; Dumar, A., Amorphous semiconductor devices: memory and switching mechanism, J. Instn Electronics & Telecom. Engrs 27 (1981) 16.10.						

CL4 1780652 v1; 125YK01!.DOC

CF4

CG4

CH4

CI4

CJ4

CK4

(1975) K129-K132

Appl. Phys. Lett. 46 (1985) 543-545.

system, Jap. J. Appl. Phys. 11 (1972) 1657-1662.

selenium thin films, Jpn. J. Appl. Phys. 11 (1972) 606.

/ML/

/ML/

/MI

/ML/

/ML/

/ML/

Lal, M.; Goyal, N., Chemical bond approach to study the memory and threshold switching

Leimer, F.; Stotzel, H.; Kottwitz, A., Isothermal electrical polarisation of amorphous GeSe films with blocking Al contacts influenced by Poole-Frenkel conduction, Phys. Stat. Sol. (a) 29

Leung, W.; Cheung, N.; Neureuther, A.R., Photoinduced diffusion of Ag in GexSe1-x glass,

Matsushita, T.; Yamagami, T.; Okuda, M., Polarized memory effect observed on Se-SnO2

Matsushita, T.; Yamagami, T.; Okuda, M., Polanzed memory effect observed on amorphous

Mazurier, F.; Levy, M.; Souquet, J.L, Reversible and irreversible electrical switching in TeO2-

chalcogenide glasses, Indian Journal of pure & appl. phys. 29 (1991) 303-304.

V2O5 based glasses, Journal de Physique IV 2 (1992) C2-185 - C2-188. McHardy et al., The dissolution of metals in amorphous chalcogenides and the effects o

PTO/SIGNER (10-01)
Approved for use through 10/31/2002/CMM 8615-4031
U. S. Patent and Trademask Office: U. S. DEPARTIMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless is contrains a valid OMS control number.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.								
Subs	titute for f	orm 1449B/PTO		Complete if Known				
				Application Number	10/610;02 4 10/796-111			
			SCLOSURE	Filing Date	July 14, 2003			
STATEMENT BY APPLICANT				First Named Inventor	Terry L. Gilton			
				Group Art Unit	N/A 2824			
(use as many sheets as necessary)			necessary)	Examiner Name	Not Yet Assigned			
Sheet		11 of	13	Attorney Docket Number	M4065.1006/P1006-A			
/ML/	T	electron and ultraviolet radiation, 20 J. Phys. C.: Solid State Phys., pp. 4055-4075 (1987)f						
/ML/	CM4	Messoussi, R.; Bernede, J.C.; Benhida, S.; Abachi, T.; Latef, A., Electrical characterization of						
	CN4	M/Se structures (M=Ni,Bi), Mat. Chem. And Phys. 28 (1991) 253-258.						
/ML/	CIVI	Mitkova, M.; Boolchand, P., Microscopic origin of the glass forming tendency in chalcogenides and constraint theory, J. Non-Cryst. Solids 240 (1998) 1-21.						
/ML/	CO4	Mitkova, M.; Kozicki, M.N., Silver Incorporation in Ge-Se glasses used in programmable						
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	CP4	metallization cell devices, J. Non-Cryst. Solids 299-302 (2002) 1023-1027. Miyatani, Sy., Electronic and ionic conduction in (AqxCu1-x)2Se, J. Phys. Soc. Japan 34						
/ML/	CF4	(1973) 423-432.		duction in (AgxCu1-x)2	2Se, J. Phys. Soc. Japan 34			
/ML/	CQ4	Miyatani, Sy., E	lectrical properties of A					
/ML/	CR4	Miyatanl, Sy., I (1959) 996-1002		Ag2Te and beta-Ag2S	Se, Journal Phys. Soc. Japan 14			
/ML/	CS4	Mott, N.F., Cond		ning transition metal id	ons, J. Non-Cryst. Solids 1			
/IVIL)	CT4	(1968) 1-17.	(I)					
/ML/	C14	transitions in cha	alcogenide thin films, Jpi	I.; Suzuki, M., Nonvoia nI. Anni Phys. 32 (1	atile memory based on phase			
	CU4							
/ML/	nonvolatile memory cell based on reversible phase transition in chalcogenide glasses,							
	0)//	Appl. Phys. 39 (2000) 6157-6161.						
/ML/	CV4	Nang, T.T.; Okuda, M.; Matsushita, T.; Yokota, S.; Suzuki, A., Electrical and optical parameters of GexSe1-x amorphous thin films, Jap. J. App. Phys. 15 (1976) 849-853.						
/ML/	CW4	Narayanan, R.A.; Asokan, S.; Kumar, A., Evidence concerning the effect of topology on						
	CX4	electrical switching in chalcogenide network glasses, Phys. Rev. B 54 (1996) 4413-4415. Neale, R.G.; Aseltine, J.A., The application of amorphous materials to computer memories,						
/ML/	1	IEEE transactions on electron dev. Ed-20 (1973) 195-209.						
/ML/	CY4		Fritzsche, H., Reversible for memory and logic, N					
0.41.7	CZ4	Ovshinsky S.R.	Reversible electrical su	vitching phenomena in	disordered structures Phys			
/ML/	1	Ovshinsky, S.R., Reversible electrical switching phenomena in disordered structures, Phys. Rev. Lett. 21 (1968) 1450-1453.						
/ML/	CA5	Owen, A.E.; LeComber, P.G.; Sarrabayrouse, G.; Spear, W.E., New amorphous-silicon						
0.41 /	CB5	electrically programmable nonvolatile switching device, IEE Proc. 129 (1982) 51-54 Owen, A.E.; Firth, A.P.; Ewen, P.J.S., Photo-induced structural and physico-chemical changes						
/ML/	ļ	in amorphous chalcogenide semiconductors, Phil. Mag. B 52 (1985) 347-362.						
/ML/	CC5	CC5 Owen, A.E.; Le Comber, P.G.; Hajto, J.; Rose, M.J.; Snell, A.J., Switching in amorphous devices, Int. J. Electronics 73 (1992) 897-906.						
/ML/	CD5	Owen et al. Met	al-Chalcogenide Photor	-900. esists for High Resolu	tion Lithography and Sub-			
/IVIL/	355	Owen et al., Metal-Chalcogenide Photoresists for High Resolution Lithography and Sub- Micron Structures, Nanostructure Physics and Fabrication, pp. 447-451 (M. Reed ed. 1989).						
/ML/	CE5	Pearson, A.D.; N	filler, C.E., Filamentary	conduction in semicor	nducting glass diodes, App.			
	CF5	Phys. Lett. 14 (1969) 280-282.						
/ML/			nathan, K.V., Electric fiel stem Ge-As-Se, Appl. P					
/ML/	CG5 Popescu, C., The effect of local non-uniformities on thermal switching and high field behavi							
	CH5	of structures with chalcogenide glasses, Solid-state electronics 18 (1975) 671-681.						
/ML/	0.15	Popescu, C.; Croitoru, N., The contribution of the lateral thermal instability to the switching phenomenon, J. Non-Cryst. Solids 8-10 (1972) 531-537.						
/ML/	CI5	Popov, A.I.; Geller, I.KH.; Shemetova, V.K., Memory and threshold switching effects in						
	amorphous selenium, Phys. Stat. Sol. (a) 44 (1977) K71-K73.							
/ML/	CJ5	Prakash, S.; Asokan, S.; Ghare, D.B., Easily reversible memory switching in Ge-As-Te glasses, J. Phys. D: Appl. Phys. 29 (1996) 2004-2008.						
/ML/								
/ML/ Eng. B12 (1992) 219-222.								

1780652 v1; 125YK011.DOC

PTO/SERGER (10.4)

Approved for use through 10/31/2002.0048 (10.4)

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a codection of information univest is contained a valid OMB control number.

Substitute for form 1449B/PTO					Complete if Known					
Substitute for form 1449B/P1O					Application Number	10/648,824 10/796-111				
INFORMATION DISCLOSURE				SCLOSURE	Filing Date	July 14, 2003				
STATEMENT BY APPLICANT					First Named Inventor	Terry L. Gilton				
					Group Art Unit	N/A 2824				
(use as many sheets as necessary)					Examiner Name	Not Yet Assigned				
Sheet		12	of	13	Attorney Docket Number	M4065.1006/P1006-A				
\equiv	CL5	Ramesh, K.; Asokan, S.; Sangunni, K.S.; Gopal, E.S.R., Electrical Switching in germanium								
/ML/		telluride glasses doped with Cu and Ag, Appl. Phys. A 69 (1999) 421-425.								
/ML/	CM5	Rose, M.J.; Hajto, J.; Lecomber, P.G.; Gage, S.M.; Choi, W.K.; Snell, A.J.; Owen, A.E., Amorphous								
/ML/	CN5	silicon analogue memory devices, J. Non-Cryst. Solids 115 (1989) 168-170. Rose,M.J.;Snell,A.J.;Lecomber,P.G.;Hajto,J.;Fitzgerald,A.G.;Owen,A.E., Aspects of non-								
/IVIL/	CO5		volatility in a -Si:H memory devices, Mat. Res. Soc. Symp. Proc. V 258, 1992, 1075-1080.							
/ML/	COS		Schuocker, D.; Rieder, G., On the reliability of amorphous chalcogenide switching devices, J. Non-Cryst. Solids 29 (1978) 397-407.							
/ML/	CP5	Sharma, A.	Sharma, A.K.; Singh, B., Electrical conductivity measurements of evaporated selenium films in							
	CQ5			dian Natn. Sci. Acad. 4		er selenide films, Ind. J. Of pure				
/ML/		and applied	phys	. 35 (1997) 424-427.		,				
/ML/	CR5		Shimizu et al., The Photo-Erasable Memory Switching Effect of Ag Photo-Doped Chalcogenide Glasses, 46 B. CHEM SOC. JAPAN, No. 12, pp. 3662-3365 (1973).							
	CS5	Snell, A.J.;	Lecor	mber, P.G.; Hajto, J.; R	ose, M.J.; Owen, A.E.	; Osborne, I.L., Analogue				
/ML/		memory effects in metal/a-Si:H/metal memory devices, J. Non-Cryst. Solids 137-138 (1991)								
1257-1262. CT5 Snell, A.J.; Hajto, J.;Rose, M.J.; Osborne, L.S.; Holmes,						wen. A.E.: Gibson. R.A.G.				
/ML/	1	Analogue memory effects in metal/a-Si:H/metal thin film structures, Mat. Res. Soc. Symp.								
Proc. V 297, 1993, 1017-1021.						nomony devices I Phys D:	-			
/ML/	1	Steventon, A.G., Microfilaments in amorphous chalcogenide memory devices, J. Phys. D: Appl. Phys. 8 (1975) L120-L122.								
/ML/	CV5	Steventon, A.G., The switching mechanisms in amorphous chalcogenide memory devices, J.								
	CW5		Non-Cryst. Sollds 21 (1976) 319-329. Stocker, H.J., Bulk and thin film switching and memory effects in semiconducting chalcogenide							
/ML/		glasses, Ap	glasses, App. Phys. Lett. 15 (1969) 55-57.							
/ML/	CX5		Tanaka, K., Ionic and mixed conductions in Ag photodoping process, Mod. Phys. Lett B 4 (1990) 1373-1377.							
/8.41.7	CY5	Tanaka, K.;	lizim	a, S.; Sugi, M.; Okada,		nal effects on switching				
/ML/ phenomenon in chalcogenide amorphous semiconductors, Solid State Com						olid State Comm. 8 (1970) 387-				
201	CZ5	389. CZ5 Thornburg, D.D., Memory switching in a Type I amorphous chalcogenide, J. Elect. Mat. 2								
/ML/		(1973) 3-15.								
/ML/	CA6	Thornburg, D.D., Memory switching in amorphous arsenic triselenide, J. Non-Cryst. Solids 11 (1972) 113-120.								
/ML/	CB6	Thornburg,	Thornburg, D.D.; White, R.M., Electric field enhanced phase separation and memory switching							
	CC6	in amorphous arsenic triselenide, Journal(??) (1972) 4609-4612. Tichy, L.; Ticha, H., Remark on the glass-forming ability in GexSe1-x and AsxSe1-x systems,								
/ML/		J. Non-Crys	st. Sol	ids 261 (2000) 277-281			I			
/ML/	CD6	Titus, S.S.K.; Chatterjee, R.; Asokan, S., Electrical switching and short-range order in As-Te								
/ IVIL/	CE6	glasses, Phys. Rev. B 48 (1993) 14650-14652. Tranchant,S.;Peytavin,S.;Ribes,M.;Flank,A,M.;Dexpert,H.;Lagarde,J,P., Silver chalcogenide								
/ML/ glasses Ag-Ge-Se: lonic conduction and exals structural investigation, Transport relations in fast ion and mixed conductors Proceedings of the 6th Riso Internation symposium. 9-13 September 1985.						stigation, Transport-structure				
						6th Riso International				
/ML/	CF6	Tregouet, Y	'.; Ber	nede, J.C., Silver move	ements in Ag2Te thin t	films: switching and memory	-			
7,1,1,000	CG6	effects, Thir	n Soli	d Films 57 (1979) 49-54	١,					
/ML/	000			neda, Y.; Kokaı, S.; Satı Ion-Cryst. Solids 117-1		ced crystallization of amorphous				
/ML/	(6.8) CH6 Uttecht, R.; Stevenson, H.; Sie, C.H.; Griener, J.D.; Raghavan, K.S., Electric field induced									
filament formation in As-Te-Ge glass, J. Non-Cryst. Solids 2 (1970) 358-370.										

1780652 v1; 125YK01LDOC

Approved for use through 10/31/2002/0MB 0651-30031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it control number.

Complete if Known Substitute for form 1449B/PTO 10/796-111 Application Number 10/010:024 INFORMATION DISCLOSURE Filing Date July 14, 2003 STATEMENT BY APPLICANT First Named Inventor Terry L. Gilton WA 2824 Group Art Unit (use as many sheets as necessary) Evaminer Name Not Yet Assigned Sheet of 13 Attorney Docket Number M4065.1006/P1006-A CIG Viger, C.; Lefrancois, G.; Fleury, G., Anomalous behaviour of amorphous selenium films, J. /ML/ Non-Cryst. Solids 33 (1976) 267-272. CJ6 Vodenicharov, C.; Parvanov, S.; Petkov, P., Electrode-limited currents in the thin-film M-GeSe-/MI / M system, Mat. Chem. And Phys. 21 (1989) 447-454. Wang, S.-J.; Misium, G.R.; Camp, J.C.; Chen, K.-L.; Tigelaar, H.L., High-performance CK5 /MI / Metal/silicide antifuse, IEEE electron dev. Lett. 13 (1992)471-472. Weirauch, D.F., Threshold switching and thermal filaments in amorphous semiconductors, App. Phys. Lett. 16 (1970) 72-73. /ML CM6 West, W.C.; Sieradzki, K.; Kardynal, B.; Kozicki, M.N., Equivalent circuit modeling of the /ML/ Ag|As0.24S0.36Ag0.40|Ag System prepared by photodissolution of Ag, J. Electrochem. Soc. 145 (1998) 2971-2974 CN6 West, W.C., Electrically erasable non-volatile memory via electrochemical deposition of /ML/ multifractal aggregates, Ph.D. Dissertation, ASU 1998 C06 Zhang, M.; Mancini, S.; Bresser, W.; Boolchand, P., Variation of glass transition temperature, Tg, with average coordination number, <m>, in network glasses: evidence of a threshold /MI / behavior in the slope |dTg/d<m>| at the rigidity percolation threshold (<m>=2.4), J. Non-Cryst. Solids 151 (1992) 149-154.

Examiner Signature	/Pho Luu/	Date Considered	05/04/2009

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Oraw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant's unique citation designation number (optional). Applicant is to place a check mark here if English language Translation is attached.